

Thoughts on benchmarking of function modeling

Why and how

Bohm, Matthew; Eckert, Claudia; Sen, Chiradeep; Srinivasan, Venkatamaran; Summers, Joshua D.; Vermaas, Pieter

DOI

[10.1017/S0890060417000531](https://doi.org/10.1017/S0890060417000531)

Publication date

2017

Document Version

Accepted author manuscript

Published in

Artificial Intelligence for Engineering Design, Analysis and Manufacturing

Citation (APA)

Bohm, M., Eckert, C., Sen, C., Srinivasan, V., Summers, J. D., & Vermaas, P. (2017). Thoughts on benchmarking of function modeling: Why and how. *Artificial Intelligence for Engineering Design, Analysis and Manufacturing*, 31(4), 393-400. <https://doi.org/10.1017/S0890060417000531>

Important note

To cite this publication, please use the final published version (if applicable).
Please check the document version above.

Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights.
We will remove access to the work immediately and investigate your claim.

Thoughts on Benchmarking of Function Modeling: Why and How

Authors:

Matthew Bohm

(Assistant Professor @ Florida Polytechnic University)

Claudia Eckert

(Professor @ The Open University)

Chiradeep Sen

(Assistant Professor @ Florida Institute of Technology)

Venkatamaran Srinivasan

(Research Associate @ Singapore University of Technology and Design)

Joshua D. Summers

(Professor @ Clemson University)

Pieter Vermaas

(Professor @ Technical University of Delft).

Goal of the Special Issue

This special issue provides a justification and a proposed research direction for establishing a common benchmarking scheme for function representations that are developed and deployed throughout academia and practice with the ultimate goal of providing industry with practically usable function modelling tools and concepts. Earlier work on function benchmarking was presented at the International Conference on Engineering Design (ICED) in 2013 (Joshua D. Summers, Eckert, & Goel, 2013) and revisited in a companion paper of this special issue (Joshua David Summers, Eckert, & Goel, 2017). Despite decades of research into function descriptions (Albers, Thau, & Alink, 2008; Andreasen & Hein, 1987; Bracewell & Sharpe, 1996; Chandrasekaran, 2005; Collins, Hagan, & Bratt, 1976; Eastman, 1969; Erden et al., 2008; Freeman & Newell, 1971; Gero & Kannengiesser, 2002; A. K. Goel, 1997; Hirtz, Stone, McAdams, Szykman, & Wood, 2002; Hubka & Eder, 1988; Kirschman & Fadel, 1998; Linz, 2011; Pahl et al., 2013; Qian & Gero, 1996; Rodenacker, 1971; Sasajima, Kitamura, Ikeda, & Mizoguchi, 1995; Schultz, Mathieson, Summers, & Caldwell, 2014; Sen, Summers, & Mocko, 2011; Srinivasan, Chakrabarti, & Lindemann, 2012; Ullman, Dietterich, & Stauffer, 1988; Umeda, Ishii, Yoshioka, Shimomura, & Tomiyama, 1996; V. Sembugamoorthy, B. Chandrasekaran, Sembugamoorthy, & Chandrasekaran, 1986; Vescovi, Iwasaki, Fikes, & Chandrasekaran, 1993; Yang, Patil, & Dutta, 2010), industry has not appeared to have practiced function modelling while professing a need to express product information beyond form (Arlitt, Stone, & Tumer, 2016; Eckert, 2013). A possible reason contributing to industry's resistance might be that there is no canonical definition of function, with various approaches to function modeling being grounded in different conceptualizations. Research efforts have resulted in several distinct views of function in engineering design, such as (Crilly, 2010; Deng, 2002; Eckert, 2013; Ashok K. Goel, Rugaber, & Vattam, 2009; Pieter E Vermaas, 2013). These perspectives have been formalized into different modeling approaches. For example, several design textbooks talk about using function-flow networks to capture the sequence and dependencies for the desired function of a product or system

(Buede, 2011; Haskins & Forsberg, 2011; Pahl et al., 2013; Shishko & Aster, 1995; Ullman, 2010; Ulrich & Eppinger, 2008).

A preceding special issues in this journal in 2013 edited by Vermaas and Eckert had asked for research papers concerning how and for what purpose function models could be applied, based on position papers covering different notions of function (Pieter E Vermaas, 2013), a discussion of engineers working with different notions of function in practice (Eckert, 2013), and the evolution of an approach to function-structure-behavior over decades (Ashok K. Goel, 2013). The editorial concluded that there is still a culture that "...my function model is better than yours!" which ignores the fact that this ambiguity about what function modeling is and how it is done, is in itself a barrier to widespread adoption and use of function models and descriptions (Pieter E Vermaas & Eckert, 2013). One of the reasons for the plethora of different approaches is that different researchers are working on different aspects of the function modeling problem, at different scales, with the goal to support different types of reasoning, in different industry sectors, and most with varying research goals.

In response to the disconnect among those researching functions, we assert that each approach has its own strengths and weaknesses, and each may be well suited to specific domains. Rather than developing a single, unified definition of function, we aim to foster a discussion on the usefulness and applicability for different reasoning applications and domains. Therefore, we are proposing a different approach to function research by developing a set of comparative benchmarks that can be explored with the different modeling approaches. By utilizing benchmark problems the community can start to discern which approaches are more useful for different needs, and perhaps to discover which elements of the representations and vocabularies are most conducive for different elements of function thinking.

Benchmarking is used in other fields routinely to enable comparative insights, but it has not been used previously in research on engineering design. Therefore, this special issue is also an exploration of benchmarking and related techniques to understand the strengths and weaknesses of different modeling approaches or representations. For example, we could see different process modeling approaches or creativity methods being benchmarked. To assist the contributors of this special issue to explore and advance the possibility of benchmarking function modeling approaches, two texts were distributed: a brief sketch of benchmarking written by Pieter Vermaas and an abridged version of the paper (Joshua David Summers et al., 2017), which was attended by of many of the contributors. The next section contains this sketch of benchmarking.

Discussion on Benchmarking

This section, authored by Pieter Vermaas, starts by introducing two different forms of function model benchmarking approaches. The first form aims at improving a specific function modeling approach by analyzing other approaches. The second form aims at comparing function modeling approaches used for similar tasks. Next, a precondition is analyzed that is relevant for specifically the second form of benchmarking. The precondition is that function modeling approaches can be categorized by classes of approach that are similar. The final section considers benchmarking problems for function modeling approaches and their role in the two forms of benchmarking.

Two forms of benchmarking function modeling approaches

When taking for a moment distance from function modeling and focusing on benchmarking in general one can distinguish two main forms of benchmarking (see (Stapenhurst, 2009) for a richer and more detailed discussion). In the first form, producers of a product analyze other products for determining how they can improve their own product. This may be seen as producer-driven benchmarking. In the second form of benchmarking users analyze a set of similar products for comparing them. Here, this shall be called user-driven benchmarking.

In producer-driven benchmarking it is the producers of the product who have an active role. They decide to evaluate and improve their product, decide which aspect of the product should be evaluated and improved, and decide what other products are to be analyzed for the evaluation and improvement. Producer-driven benchmarking is moreover primarily serving the interests of the producer. The product to be evaluated and improved is not necessarily compared with similar, rival products (say, for improving seating procedure in a theatre, one can compare the theatre with a plane), the outcomes of the comparison are not meant for or made public to users of the product, and, if all goes well, the producer benefits by acquiring the means to improve their product.

In user-driven benchmarking it is the users of a product, or a representative of the users, who have an active role. The users decide to evaluate the product in comparison to a set of similar products, and the users decide which aspects of the product are included in the comparison. User-driven benchmarking serves primarily the interests of the users. The products are compared with rival products (say, a set of mobile phones are compared), and the outcomes of the comparison are made public to the users such that these users can determine which of the compared products serve their interests best. The producers of a compared product have a passive role of providing their product, and may hope that things go well, and that their product fares well in the comparison. User-driven benchmarking may, however, also serve the interests of producers in the long run, since it informs producers what aspects do users value in products.

For function modeling approaches, the producers are the modelers of functions in design research and the users are taken to be industry. Producer-driving benchmarking of function modeling approaches may therefore be called modeler-driven benchmarking, and user-driving benchmarking may be called industry-driven benchmarking.

Modeler-driven benchmarking thus means that modelers improve some aspect A of their function modeling approach M by analyzing other approaches M', M'' Modeler-driven benchmarking involves evaluation for it implies determining how the other function modeling approaches score well on the aspect A. Yet this evaluation is not meant as judgmental; the other function modeling approaches M', M'' ..., that are evaluated may not even be meant for supporting the task for which the approach M is meant to support. For instance, M can be meant for ideation in conceptual design, whereas M' is for reverse engineering.

Industry-driven benchmarking is, in contrast, judgmental. It involves comparing a series of function modeling approaches M, M', M'' ... that support the same engineering task by measuring them against a

number of aspects A, A', A'' ... that industry values in using function modeling approaches for the task. The outcomes of the comparison are then used by industry to select the approaches that best serve the task.

Categories of function modeling approaches

User-driven benchmarking has, as said, the goal of comparing a set of similar products on various aspects relevant to users of the product. A precondition to this form of benchmarking is therefore that products can be categorized in classes that are similar, where similarity may mean a variety of things with more or with less specificity. For instance, users can be interested in benchmarking products that realize a broad goal, as for instance, travelling from Clemson, South Carolina in the USA, to Milton Keynes in the UK. Multiple different combinations of trips with a variety of means as planes, trains, cars and boats may then be categorized as similar and surface as such in the comparison. Or users can be interested in a more specific goal, as a laptop with particular technical characteristics and with a particular prize, in which case only a few products make up the category of similar products that are compared.

In the case of function modeling approaches this categorization warrants attention since it is by far clear whether these approaches can be taken as similar. Design research has created many function modeling approaches (see the 2013 AIEDAM special issue on function modeling; (Pieter E Vermaas & Eckert, 2013)). This variety may be understood as preliminary to the stage that design researchers find consensus about the best or most tenable approach. Unconditionally, benchmarking the current approaches (in both forms of benchmarking) may then be seen as speeding up the process to find this ultimate function modeling approach. An alternative understanding is that the variety of function modeling approaches is due to the different tasks for which function modeling is used, as say, supporting ideation in conceptual design, supporting archiving of existing products, or enabling incremental changes in electromechanical engineering (e.g., (Pieter E Vermaas, 2013)). On this second understanding, specific industry-driven benchmarking should take into account that function modeling approaches can only be taken as similar if they are meant to support the same engineering task.

Ignoring this task dependency of function modeling can lead to unnecessary negative judgments. Consider for instance a function modeling approach M that is developed for the task of supporting incremental changes in electromechanical products, and does a good job for this task. Industry-driven benchmarking of function modeling approaches for task (T) can then reveal that M scores good on all aspects A, A' ... that are relevant to task (T). This function modeling approach M may now also be of use for another task T' as, say, supporting failure mode analysis in products. If now this additional use is presented as proof that M is a versatile approach that has also T' as its goal, then M can also be included in industry-driven benchmarking of function modeling approaches for task T'. This second industry-driven benchmarking effort judges M on other aspects A''', A'''' ... relevant to T', and M may now end up as a relative mediocre function modeling approach.

For modeler-driven benchmarking determining the tasks for which the function modeling approaches are meant is less necessary, although informative. When modelers want to improve their

function modeling approach on aspect A, they should look at function modeling approaches that are doing well on that aspect, and knowing the tasks for which other approaches are meant may provide information on which function modeling approaches are doing well on aspect A.

When function modeling approaches are simply characterized by means of a number of features, the tasks T, T', T'' ... for which the approaches are meant and the aspects A, A' A'' ... by which they are evaluated are not specified. The distinction between modeler-driven and industry-driven benchmarking is then suppressed, making the characterization somewhat ambiguous. In (Joshua David Summers et al., 2017) more than 20 dimensions are introduced for characterizing function modeling approaches. These dimensions include, for instance,

- scope of an approach: the domain for which the approach is intended;
- flexibility: the ability to modify and adapt the representation of functions by an approach to address new problems;
- closeness of mapping: what modeling conventions needs to be learned to apply the approach? How intuitive are the resulting models?;
- error-proneness: does the notation used in an approach induce 'careless mistakes'?
- interpretability: how consistent and precise is the interpretation of the function models across different individuals, domain, and expertise?; and
- change propagation: does the representation of functions support discovery about the effects of perturbations in a system?

A characterization of function modeling approaches along these dimensions can however be turned into modeler-driven or industry-driven benchmarking. For modeler-driven benchmarking, the characterization of function modeling approaches along the various dimensions gives modelers information about which approaches to analyze for improving their own function modeling approach on a specific aspect A. If, for instance, a modeler is interested in reducing the error-proneness of his approach, the characterization gives rapid information about which other function modeling approaches score low on this aspect/dimension. For industry-driven benchmarking something similar can be done by taking some of the dimensions as fixing the task T that singles out the category of function modeling approaches that are compared, and by taking other dimensions as the aspects A, A' ... that drive the comparison. If, for instance, this industry-driven benchmarking concerns function modeling approaches for supporting the analysis of changes in product-services systems, then the characterizations by scope and change propagation fix the approaches that are compared. And if an aspect A on which the approaches are compared is consistency among the function modelers, the characterization along the interpretability dimension determines the judgment of which approach is the best.

Benchmarking problems for function modeling approaches

Setting a benchmarking problem for function modeling approaches also introduces ambiguity between modeler-driven and industry-driven benchmarking. In general, benchmarking problems can be defined by producers for making to themselves differences explicit between their products and for creating a threshold the producers want to pass. Competitions between solar-propelled cars count as such challenges, and then the goal of the producers is to create cars that can do it and that can do it

better than others. In this special issue, reverse engineering a glue gun is the benchmarking problem for function modeling approaches, and when taking it as modeler-driven benchmarking, taking up this problem means attempting to get the function structure of the glue gun right and show others how it can be done with different approaches.

Benchmarking problems can also be set by users, with examples including competitions between producers to win a contract. Proposals by the producers are then evaluated by the users for judging which proposal is best and gets the contract. From this perspective the challenge of reverse engineering a glue gun becomes industry-driven benchmarking for showing to industry which approach is best in capturing the function structure of the glue gun.

Explanation of the three “themes”

In this special issue, the glue gun challenge is to be seen as a modeler-driven benchmarking problem for developing within design research the language and practice of comparing function modeling approaches. To this end, we invited special contributions in three specific areas:

1. papers that present a function model created within the author’s representation of choice, applied against the glue gun example challenge problem, and a detailed critique of the approach explaining its capabilities and limitations using the function model(s) for the problem. These are used to demonstrate how a single benchmark problem can be used to compare multiple different modeling approaches.
2. papers that present a suite of benchmark challenge problems. To this end, papers that illustrate design problems for function modeling that can be used to compare function modeling approaches were sought. The problems should be fully detailed in terms of scope, size, and domain, and clearly illustrate the criteria of comparing modeling approaches for which this problem can be used as a benchmark.
3. papers presenting empirical studies comparing performance of multiple function modeling approaches with respect to select benchmark dimensions of the authors’ choice. This might include studies comparing the performance of two approaches to support: (1) ease of modeling, (2) human interpretability of models, (3) teachability of modeling approaches, (4) ability to support innovative ideation, (5) physics-based reasoning using the models, or (6) any other dimension(s) of authors’ choice.

Many papers were received, reviewed, and evaluated for appropriateness for inclusion in this special issue. The selected papers presented as a collection for this special issue are primarily addressing the first theme in which researchers applied their models against a common benchmark product, the glue gun. While the goal of the special issue was also to include proposals for new benchmark challenge problems, the community did not respond with offers of problems. This might suggest that our research community is still evolving in thinking about the research challenges from a more coordinated and distributed point of view. For the editors, this suggests an opportunity to address the gap in the literature through creative and innovative means in the future. Finally, a few papers were received that presented findings for direct comparisons between different models. Again, this suggests

that the community has not yet reached a maturity level where peer function modeling approaches are understood well enough to be directly benchmarked/compared against each other.

Theme 1 (Model demonstration with glue gun)

Yildirim et al. have developed System State Flow Diagram (SSFD), a framework that can assist modelling solution-neutral functions of multidisciplinary systems at various levels of complexity (Yildirim, Campean, & Williams, 2017). This framework is intended to support designing, modeling and analysis of products and systems. The SSFD originates from fault analysis in automotive engineering. The analysis starts with the definition of input and output states of the operand, conceptualized as an object, in terms of the measurable attributes or properties that describe the states. The function is defined in relation to the transformation needed to change the values of attributes from the initial input to the final output state. The SSFD model is developed by decomposing the function through identification of intermediate states of the flow between the input state and the output state. The function model of a product or system is represented as a chain of state transitions, including the transitions in the main flow, connecting flows and branching flows. Further, to this function model, conditional fork node heuristics are added to describe the distinct, multiple modes of operation corresponding to various use cases in a complex, multidisciplinary system. While SSFD has been applied successfully in automotive companies as it supports modeling across multiple domains, this paper presents a rigorous academic basis and guidelines to the application of the method. Similar to work proposed by others (Otto & Wood, 2001), the SSFD offers guidelines for how to construct flow models. The paper sets SSFD in the context of other function modeling approaches. Like other function modeling approaches, the SSFD supports abstract top-down decomposition, but it also allows modeling multiple modes of operations that are adopted in a complex system over its lifecycle through branching points in the model which describe different modes of operation. The SSFD framework has been used in industry, and its several features are illustrated by applying it to develop function models of a glue-gun and the powertrain of an electric vehicle.

The paper, entitled “The Integrated Function Modelling Framework and its Relation to Function Structures” by Gericke and Eisenbart proposes a novel approach to function modeling called Integrated Function Modeling (IFM) framework, which combines multiple viewpoint on functions in a single model (Gericke & Eisenbart, 2017). Building on work by (P E Vermaas, 2009; Pieter E Vermaas, 2013; Pieter E Vermaas & Eckert, 2013) and others, the IFM incorporates a behavior-related notion, an outcome-related notion and task or goal-related notion of function into a single model, as the authors see an inherent lack of function modeling approaches to provide guidance in linking between different contents and viewpoints in particularly across design disciplines such as mechanical engineering, electrical engineering and software, which have to come together in most complex contemporary systems. The IFM uses a Design Structure Matrix to combine a state view, a use case view, an actor view, an effect view and an interaction view centered on a process flow view, which presents a view of the qualitative flow of different types of processes and represents a behavioral view of the product showing causal link between transformations. It assumes that a team would select the views that are beneficial to their specific tasks rather than always work with a comprehensive model. The approach

starts with a hierarchical decomposition of the overall function, the main functions and the auxiliary functions and the assumption they incorporate using an abstract verb-noun representation stating its inputs and outputs. These are combined into a final model, which breaks the function steps down as transformations of energy, matter and information. The paper shows the different views for the glue gun as well as the resulting combined matrix. The IFM models are compared to the Function Structures approach (Pahl et al., 2013). The authors argue that the two modeling approaches complement each other, but that IFM provides a richer and therefore, potentially more useful representation as it centers multiple representations around a function model.

In another offering, Lucero, Adams, and Turner, first observe that function models of electro-mechanical products commonly practiced and taught in design education—such as those stored in the Oregon State Design Repository—do not include satisfactory modeling protocol for signal flows, despite signal being one of the three major flow types in function literature alongside material and energy (Lucero, Adams, & Turner, 2017). The authors suspect that this gap could be the result of a lack of formalism for modeling signals as non-conserved flows that are carried by material or energy flows. To address this gap, the authors further observe that currently existing formalism of modeling control systems as chains of block and arrows already provide sufficient formalism to address this gap. The authors then propose a formalism based on controls theory, using four similarities between controls engineering and functions, such as (1) schematic similarity, (2) similarity of control variables with non-dimensional flows in function models, (3) similarity of the differential equations of transfer functions with the bond graph representation of functions, and (4) isomorphic matching. The authors then apply these ideas to three design models, including the benchmark model of a glue gun, to illustrate their approach. The paper demonstrates that the key performance parameters of a mechanical system could be computed through function modeling using dimensional analysis techniques, such as Buckingham-Pi. It also shows that the functions in the Function Basis vocabulary could be modeled as transfer functions of control systems, using bond graphs, because the five basic elements of bond graphs (resistive, capacitive, inductive, transformer, and gyrator) are analogous to basic mechanical functions.

Next, Mokhtarian, Coatanea, and Paris present the Dimensional Analysis Conceptual Modeling framework (DACM) of function modeling, which is an approach to use a physics-based representation of functions that combines dimensional analysis, bond graphs, cause-and-effect, and a TRIZ-like representation (Hosseini, Coatanea, & Henri, 2017). The framework is shown to facilitate (1) physics-based reasoning, (2) the exploration of design options, and (3) generating ideas for design variants, within the context of reverse engineering or incremental design. The DACM framework is used through eight steps. These steps are: system and boundary definition, function modeling using the bond graph vocabulary as functions, identifying the variable list, assigning variables to the function model, applying causal reasoning rules to the function model, generating the causal model/graph, computing the behavioral laws of the model, and finally, using the model for analysis and design reasoning. The glue gun example is used to illustrate the ideas of the paper. The method can detect TRIZ-like contradictions such as the simultaneous need to both increase and decrease the glue stick diameter in order to maximize glue flow rate.

Theme 2 (Exemplar Problems)

While this theme was presented for the potential authors in this edition, no papers were received that specifically addressed this topic.

Theme 3 (Comparative Studies)

In “Transforming Function Models to Critical Chain Models vs Expert Knowledge and Automatic Parsing Rules for Design Analogy Identification”, Agyemang et al. seek to determine if pruning rules are a viable method to transform a complex function model into a model that only illustrates critical functions and critical flows (Agyemang, Turner, & Linsey, 2017). The authors use as a benchmark a set of expertly (manually) derived function models and compare those to models derived using pruning or parsing rules. Finally, the authors use the manually and automatically generated critical chain models as input to a design analogy system. Their work shows promise that pruning rules are approaching a capability of replacing the daunting task of manually creating critical chain function models.

Peruzzini, et al. demonstrate how function and other product models can be leveraged to support innovation (Peruzzini, Raffaelli, Malatesta, & Germani, 2017). Specifically, they present an approach for using function in the generation of new product variants. The authors’ work goes beyond current function-based concept generation approaches by adding several layers of models and interactions, specifically modular and structural levels. Most notably the authors use a rule based component configuration system to help assemble the “new” design. Finally, the authors present a case study done in partnership with Electrolux to demonstrate the systems capabilities by designing a new kitchen range variant.

Unlike the previous two papers, Tomko et al. demonstrate how different function modeling approaches impact student learning and their ability to think in terms of systems in (Tomko, Nelson, Nagel, Bohm, & Linsey, 2017). To test this empirically, two groups of students, constituting the Modeling and Enumerating groups, are asked to generate functions for different products and their responses compared using the following criteria: correctness and abstraction levels of functions. Prior to this experiment, the students in the Modeling group are taught systems abstraction, function enumeration and function modeling, but the students in the Enumeration group are only taught systems abstraction and function enumeration. The correctness of functions is categorized into correct, partially correct and incorrect functions. Correct and partially correct functions are further categorized into: high-level, low-level, interface and ambiguous. Tomko et al. observed that the students in the Modeling group generated more low-level, interface and ambiguous functions, but lesser high-level functions than the students in the Enumerating group. In addition, the students in the Modeling group also generated less incorrect functions than the students in the Enumerating group. These results signify that the students in the Modeling group can comprehend functions better at various levels of abstraction and therefore, have better holistic systems thinking ability than the students in the Enumerating group.

Finally, an approach to comparing the inferencing capabilities of function representations is presented in (Gill, Summers, & Turner, 2017). In this comparison paper, several different representations of function models generated using different grammar and vocabulary restrictions are

used to predict the market price for test products. This approach to evaluating the value or benefit of a representation to draw inferences is one approach that can be used to compare different representations. It was found that the unpruned representations were able to more accurately predict the market prices, while previous work had found that the pruned representations were able to support human interpretation better (Caldwell, Thomas, Sen, Mocko, & Summers, 2012). Where others directly compared representations with respect to student learning, concept generation, or transformation, this approach for benchmarking focused on quantitatively measuring the reasoning support of a representation.

The Next Steps

This special issue contains four papers with models of the glue gun. The next logical step is to analyze the strengths and weakness of the models and provide the results of the benchmarking exercise. The editors of the special issue are planning to engage in this as a next step based on the final papers in this special issue and intend to submit a follow-on stand-alone article summarizing the findings. In the spirit of benchmarking we also invite others to create their own comparisons and benchmarking problems and protocols. The benchmarking exercise will have two distinct audiences, common-sense suggestions for practitioners and a theoretical reflection over the merits of benchmarking for the academic community.

This special issue has shown there is still a lively interest in function modeling in the engineering design research community as a new generation of authors has embraced the issue. While they have made huge strides to engage with the work of previous generations, we have also seen that older work has been somewhat ignored and the old questions, such as “should function be solution neutral” are nowhere near to being resolved. With the exception of (Yildirim et al., 2017), in general the papers have again started from a theoretical perspective rather than embrace the challenges that industry is facing. However (Gericke & Eisenbart, 2017) and (Yildirim et al., 2017) have been embracing the challenges of using function modeling to bridge across the different disciplines, as products become more complex and initiatives like Industry 4.0 or the Internet of Things push companies to bring hardware, electronics and software closer together. We can still look forward to decades of interesting research on functions.

The editors collectively agree that while this issue shows great strides in the applicability and usefulness of function modeling, a majority of the papers submitted are an extension of the authors’ previous works. However the call for benchmarking has led to a more thorough validation and illustration of the modeling approaches and yield a set of models of the same object, the glue gun. The papers presented here do address the original calls of the special edition, but none particularly address the issue of benchmarking problems. Thus, the editors believe that more discussion regarding benchmarking as well as model validation and verification must occur. The formal and mathematically rigorous approach of classifying formal languages in computing theory, such as the Chomsky hierarchy, could be used as a reference point for this discussion and to illustrate an equivalent gap in function research. It is because of this formalism, that all computing problems within a given problem-class of the hierarchy, such as the context-sensitive languages or recursively enumerable problems, could be shown to be computationally equivalent to each other, and a newly described problem could be

formally classified within the hierarchy. As a result, newly proposed algorithms could be ‘tested’ against these classes to evaluate their ‘goodness’. For example, the *travelling salesmen* problem is often used as a representative of the class of NP-complete problems, and as a test bed for novel algorithms that attempt to address that class. While classifying design problems is, by nature, a different type of challenge than classifying computing problems, this comparison goes to show that function research in engineering design does still not have a *metric* or a *yardstick* to describe how well a particular solution approach lends itself to a particular problem. Computer scientists can easily evaluate the effectiveness of their algorithms by assessing run-time/complexity/Big-O, however those who investigate function still lack the basic assessment or benchmarking techniques to evaluate the effectiveness of their approaches in specific domains. The editors plan to further develop a suite of benchmarking problems and ask that the engineering design community also contribute to this cause. The long-term goal is to introduce benchmarking to the cannon of methods used regularly in engineering design to present tools, methods and modeling approaches together with a description of their scope and the area of application to which they are most useful.

References

- Agyemang, M., Turner, C. J., & Linsey, J. (2017). Transforming Functional Models to Critical Chain Models via Expert Knowledge and Automatic Parsing Rules for Design Analogy Identification. *Artificial Intelligence for Engineering Design, Analysis and Manufacturing*, 31(4), in press.
- Albers, A., Thau, S., & Alink, T. (2008). Support of Design Engineering Activity Through C & CM - Temporal Decomposition of Design Problems. In I. Horvath (Ed.), *Tools and Methods for Competitive Engineering Conference* (pp. 295–306). Izmir, Turkey.
- Andreasen, M. M., & Hein, L. (1987). *Integrated product development*. London, UK: IFS (Publications).
- Arlitt, R. M., Stone, R. B., & Tumer, I. Y. (2016). Impacts of Function-Related Research on Education and Industry. In A. Chakrabarti & U. Lindemann (Eds.), *Impact of Design Research on Industrial Practice* (pp. 77–99). New York, NY: Springer.
- Bracewell, R. H., & Sharpe, J. E. E. (1996). Functional Descriptions Used in Computer Support for Qualitative Scheme Generation - “Schemebuilder.” *Artificial Intelligence in Engineering Design Analysis and Manufacturing*, 10(4), 333–345.
- Buede, D. M. (2011). *The Engineering Design of Systems*. (A. P. Sage, Ed.) (2nd ed.). Somerset: Wiley.
- Caldwell, B. W., Thomas, J., Sen, C., Mocko, G. M., & Summers, J. D. (2012). The Effects of Language and Pruning on Function Structure Interpretability. *Journal of Mechanical Design*, 134(6), 61001. Retrieved from <http://dx.doi.org/10.1115/1.4006442>
- Chandrasekaran, B. (2005). Representing Function: Relating Functional Representation and Functional Modeling Research Streams. *Artificial Intelligence in Engineering Design Analysis and Manufacturing*, 19(2), 65–74.
- Collins, J. A., Hagan, B. T., & Bratt, H. M. (1976). The Failure-Experience Matrix—A Useful Design Tool. *Journal of Engineering for Industry*, 98(3), 1074. <http://doi.org/10.1115/1.3439009>

- Crilly, N. (2010). The roles that artefacts play: technical, social and aesthetic functions. *Design Studies*, 31(4), 311–344.
- Deng, Y. M. (2002). Function and behavior representation in conceptual mechanical design. *Artificial Intelligence in Engineering Design Analysis and Manufacturing*, 16(5), 343–362. Retrieved from http://journals.cambridge.org/abstract_S0890060402165024
- Eastman, C. M. (1969). Cognitive Processes and Ill-Defined Problems: A Case Study from Design. In *Joint International Conference on Artificial Intelligence* (Vol. 69, pp. 669–690). Washington, DC.
- Eckert, C. (2013). That which is not form : the practical challenges in using functional concepts in design. *Artificial Intelligence in Engineering Design Analysis and Manufacturing*, 27(3), 217–231.
- Erden, M. S., Komoto, H., van Beek, T. J., D’Amelio, V., Echavarria, E., & Tomiyama, T. (2008). A review of function modeling: Approaches and applications. *Artificial Intelligence in Engineering Design Analysis and Manufacturing*, 22(2), 147–169. <http://doi.org/10.1017/S0890060408000103>
- Freeman, P., & Newell, A. (1971). A Model for Functional Reasoning in Design. In *Second International Joint Conference on Artificial Intelligence* (Vol. September, pp. 1–21). London, UK.
- Gericke, K., & Eisenbart, B. (2017). The Integrated Function Modelling Framework and its Relation to Function Structures. *Artificial Intelligence for Engineering Design, Analysis and Manufacturing*, 31(4), in press.
- Gero, J., & Kannengiesser, U. (2002). The Situated-Function-Behaviour-Structure Framework. In J. Gero (Ed.), *Artificial Intelligence in Design* (pp. 89–104). Norwell, MA: Kluwer Academic Publishers.
- Gill, A. S., Summers, J. D., & Turner, C. J. (2017). Comparing “Function-Structures” and “Pruned Function-Structures” for Market Price Prediction: An Approach to Benchmarking Representation Inferencing Value. *Artificial Intelligence for Engineering Design, Analysis and Manufacturing*, in press.
- Goel, A. K. (1997). Design, Analogy, and Creativity. *IEEE Intelligent Systems*, 12(3), 62–70.
- Goel, A. K. (2013). One Thirty Year Long Case Study: Fifteen Principles: Implications of the AI Methodology for Functional Modeling. *Artificial Intelligence in Engineering Design Analysis and Manufacturing*, 27(3), 203–215.
- Goel, A. K., Rugaber, S., & Vattam, S. (2009). Structure, behavior, and function of complex systems: The structure, behavior, and function modeling language. *Artificial Intelligence for Engineering Design, Analysis and Manufacturing*, 23(1), 23. <http://doi.org/10.1017/S0890060409000080>
- Haskins, C., & Forsberg, K. (2011). *Systems Engineering Handbook: A Guide for System Life Cycle Processes and Activities*. IncoSE.
- Hirtz, J., Stone, R., McAdams, D., Szykman, S., & Wood, K. (2002). A Functional Basis for Engineering Design: Reconciling and Evolving Previous Efforts. *Research in Engineering Design*, 13(2), 65–82.
- Hosseini, M., Coatanea, E., & Henri, P. (2017). Function Modeling Combined with Physics-Based Reasoning for Assessing Design Options and Supporting Innovative Ideation. *Artificial Intelligence for Engineering Design, Analysis and Manufacturing*, 31(4), in press.
- Hubka, V., & Eder, W. E. (1988). *Theory of technical systems: a total concept theory for engineering*

- design. Berlin and New York, Springer-Verlag, 1988, 291 p.* (Vol. 1). New York, NY: Springer Verlag.
- Kirschman, C. F., & Fadel, G. M. (1998). Classifying Functions for Mechanical Design. *Journal of Mechanical Design*, 120(3), 475–482. <http://doi.org/10.1115/1.2829176>
- Linz, P. (2011). *An Introduction to Formal Languages and Automata* (5th ed.). Sudberry, MA: Jones & Bartlett Publishers. Retrieved from <http://books.google.com/books?hl=en&lr=&id=hsxDiWvVdBcC&pgis=1>
- Lucero, B., Adams, M., & Turner, C. J. (2017). Introduction to Quantitative Engineering Design Methods via Controls Engineering. *Artificial Intelligence for Engineering Design, Analysis and Manufacturing*2, in press.
- Otto, K., & Wood, K. (2001). *Product Design* (1st ed.). Prentice Hall.
- Pahl, G., Beitz, W., Blessing, L., Feldhusen, J., Grote, K.-H. H., & Wallace, K. (2013). *Engineering Design: A Systematic Approach*. (Second, Ed.) (3rd ed., Vol. 11). London: Springer-Verlag London Limited.
- Peruzzini, M., Raffaelli, R., Malatesta, M., & Germani, M. (2017). Towards a Function-Based IT Platform for Variants Redesign of Household Appliances. *Artificial Intelligence for Engineering Design, Analysis and Manufacturing*, in press.
- Qian, L., & Gero, J. S. (1996). Function–behavior–structure paths and their role in analogy-based design. *Artificial Intelligence for Engineering, Design, Analysis and Manufacturing*, 10(4), 289–312. Retrieved from http://journals.cambridge.org/abstract_S0890060400001633
- Rodenacker, W. (1971). *Methodisches Konstruieren*. Berlin, Germany: Springer Verlag.
- Sasajima, M., Kitamura, Y., Ikeda, M., & Mizoguchi, R. (1995). FBRL: A Function and Behavior Representation Language. In *International Joint Conference on Artificial Intelligence*. Montreal, Canada.
- Schultz, J., Mathieson, J., Summers, J. D., & Caldwell, B. (2014). Limitations to Function Structures: A Case Study in Morphing Airfoil Design, 1–13.
- Sen, C., Summers, J. D., & Mocko, G. M. (2011). A protocol to formalise function verbs to support conservation-based model checking. *Journal of Engineering Design*, 22(11–12), 765–788. <http://doi.org/10.1080/09544828.2011.603295>
- Shishko, R., & Aster, R. (1995). NASA systems engineering handbook. *NASA Special Publication*, 6105.
- Srinivasan, V., Chakrabarti, A., & Lindemann, U. (2012). A Framework for Describing Functions in Design. In *International Design Conferences* (pp. 1111–1122). Dubrovnik, Croatia.
- Stapenhurst, T. (2009). *The Benchmarking Book: A How-to-Guide to Best Practices for Managers and Practitioners*. Amsterdam, The Netherlands: Butterworth Heinemann.
- Summers, J. D., Eckert, C., & Goel, A. K. (2013). Function in Engineering: Benchmarking Representations and Models. In *International Conference on Engineering Design*. Seoul, South Korea: The Design Society.
- Summers, J. D., Eckert, C. M., & Goel, A. K. (2017). Function in Engineering: Benchmarking

- Representations and Models. *AI EDAM (Artificial Intelligence for Engineering Design, Analysis and Manufacturing)*, 31(4), in press.
- Tomko, M., Nelson, J., Nagel, R., Bohm, M. R., & Linsey, J. S. (2017). A Bridge to Systems Thinking in Engineering Design: An Examination of Students' Ability to Identify Functions at Varying Levels of Abstraction. *Artificial Intelligence for Engineering Design, Analysis and Manufacturing*, in press.
- Ullman, D. G. (2010). *The Mechanical Design Process* (4th ed.). New York, NY: McGraw-Hill.
- Ullman, D. G., Dietterich, T. G., & Stauffer, L. A. (1988). A model of the mechanical design process based on empirical data. *Artificial Intelligence for Engineering, Design, Analysis and Manufacturing*, 2(1), 33–52. Retrieved from http://journals.cambridge.org/abstract_S0890060400000536
- Ulrich, K., & Eppinger, S. D. (2008). *Product Design and Development* (4th ed.). New York, NY: McGraw-Hill.
- Umeda, Y., Ishii, M., Yoshioka, M., Shimomura, Y., & Tomiyama, T. (1996). Supporting Conceptual Design Based on the Function-Behavior-State Modeler. *Artificial Intelligence in Engineering Design Analysis and Manufacturing*, 10(4), 275–288.
- V. Sembugamoorthy, B. Chandrasekaran, Sembugamoorthy, V., & Chandrasekaran, B. (1986). Functional Representation of Devices and Compilation of Diagnostic Problem-Solving Systems. In J. Kolodner & C. K. Riesbeck (Eds.), *Experience, Memory, and Reasoning* (pp. 47–53). Hillsdale, NJ: Erlbaum. Retrieved from <http://books.google.com/books?hl=en&lr=&id=se5jOkxOZhgC&pgis=1>
- Vermaas, P. E. (2009). The flexible meaning of function in engineering. In *Proceedings of the 17th International Conference on Engineering Design (ICED'09)*, Vol. 2 (pp. 113–124). San Francisco, CA: The Design Society.
- Vermaas, P. E. (2013). On the Co-Existence of Engineering Meanings of Function: Four Responses and Their Methodological Implications. *Artificial Intelligence in Engineering Design Analysis and Manufacturing*, 27(3), 1–19.
- Vermaas, P. E., & Eckert, C. (2013). My functional description is better! *Artificial Intelligence for Engineering Design, Analysis and Manufacturing*, 27(3), 187–190.
- Vescovi, M., Iwasaki, Y., Fikes, R., & Chandrasekaran, B. (1993). CFRL: A Language for Specifying the Causal Functionality of Engineered Devices. In *11th National Conference on Artificial Intelligence*. Washington, DC: American Association for Artificial Intelligence.
- Yang, S., Patil, L., & Dutta, D. (2010). Function Semantic Representation (FSR): A Rule-Based Ontology for Product Functions. *ASME Transactions Journal of Computing and Information Science in Engineering*, 10, 31001.
- Yildirim, U., Campean, F., & Williams, H. (2017). Function Modelling Using the System State Flow Diagram. *Artificial Intelligence for Engineering Design, Analysis and Manufacturing*, in-press.